


12NDL76 16Ω

LF Drivers - 12.0 Inches









- 800 W continuous program power capacity
- 76 mm (3 in) aluminium voice coil
- 50 2000 Hz response
- 100 dB sensitivity
- Neodymium magnet allows a very light yet powerful motor assembly
- Ventilated voice coil gap for reduced power compression



LF Drivers- 12.0 Inches





SPECIFICATIONS

Nominal Diameter	320 mm (12.0 in)
Nominal Impedance	16 Ω
Minimum Impedance	12.5 Ω
Nominal Power Handling ¹	400 W
Continuous power handling 2	800 W
Sensitivity (1W/1m) ³	100.0 dB
Frequency Range	50 - 2000 Hz
Voice Coil Diameter	76 mm (3.0 in)
Winding Material	Aluminium
Former Material	Glass Fibre
Winding Depth	19.0 mm (0.75 in)
Magnetic Gap Depth	10.0 mm (0.4 in)
Flux Density	1.25 T

DESIGN

Surround Shape	Double Roll
Cone Shape	Exponential
Magnet Material	Neodymium Inside Slug
Spider	Single
Pole Design	Straight Pole
Woofer Cone Treatment	t None
Recommended Enclosur	re 42.0 dm ³ (1.48 ft ³)
Recommended Tuning	65 Hz

PARAMETERS⁴

Resonance Frequency	50 Hz
Re	10.2 Ω
Qes	0.3
Qms	3.8
Qts	0.27
Vas	69.0 dm ³ (2.44 ft ³)
Sd	522.0 cm ² (80.9 in ²)
ηο	2.8 %
Xmax	± 7.0 mm
Xvar	± 7.0 mm
Mms	56.0 g
Bl	24.7 Txm
Le	1.7 mH
EBP	166 Hz

MOUNTING AND SHIPPING INFO

Overall Diameter	315 mm (12.4 in)
Bolt Circle Diameter	298 mm (11.7 in)
Baffle Cutout Diameter	283.0 mm (11.1 in)
Depth	141 mm (5.5 in)
Flange and Gasket Thickne	2SS 14 mm (0.55 in)
Air Volume Occupied by Driver $2.5 \text{dm}^3 (0.08 \text{ft}^3)$	
Net Weight	3.9 kg (8.6 lb)
Shipping Units	1
Shipping Weight	4.5 kg (9.9 lb)
Shipping Box 360x360x200 mm (1	4 17x14 17x7 87 in)

SERVICE KIT

B 1.9	RCK12NDL7616
Recone kit	NCK12NDL/010

- 2 hours test made with continuous pink noise signal within the range Fs-10Fs. Power calculated on rated minumum impedance. Loudspeaker in free air.
 Power on Continuous Program is defined as 3 dB greater than the Nominal rating.
 Applied RMS Voltage is set to 4V for 16 ohms Nominal Impedance.
 Thiele-Small parameters are measured after a high level 20 Hz sine wave preconditioning test.