



15PS100

8Ω









- 1400 W continuous program power capacity
- 100 mm (4 in) copper voice coil
 35 1500 Hz response
 95 dB sensitivity

- Double silicone spider with optimized compliance









SPECIFICATIONS

Nominal Diameter	380 mm (15.0 in)
Nominal Impedance	8 Ω
Minimum Impedance	6.5 Ω
Nominal Power Handling ¹	700 W
Continuous power handling ²	1400 W
Sensitivity (1W/1m) ³	95.0 dB
Frequency Range	35 - 1500 Hz
Voice Coil Diameter	100 mm (4.0 in)
Winding Material	Copper
Former Material	Glass Fibre
Winding Depth	21.0 mm (0.83 in)
Magnetic Gap Depth	11.0 mm (0.4 in)
Flux Density	1.05 T

DESIGN

Surround Shape	Triple Roll		
Cone Shape	Radial		
Magnet Material	Ferrite Ring		
Spider	Double Silicone		
Pole Design	T-Pole		
Woofer Cone Treatment TWP Waterproof Both Sides			
Recommended Enclosure	120.0 dm ³ (4.24 ft ³)		
Recommended Tuning	35 Hz		

PARAMETERS⁴

Resonance Frequency	39 Hz
Re	5.2 Ω
Qes	0.47
Qms	6.0
Qts	0.43
Vas	103.0 dm ³ (3.64 ft ³)
Sd	855.0 cm ² (132.5 in ²)
ηο	1.35 %
Xmax	± 8.0 mm
Xvar	± 6.5 mm
Mms	160.0 g
BI	21.2 Txm
Le	2.0 mH
EBP	82 Hz

Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) - ITALY - Tel. +39 055 65721 - Fax +39 055 6572312 - mail@bcspeakers.com

MOUNTING AND SHIPPING INFO

SERVICE KIT

Overall Diameter	393 mm (15.5 in)	Recone kit
Bolt Circle Diameter	374 mm (14.72 in)	
Baffle Cutout Diameter	354.0 mm (13.9 in)	
Depth	168 mm (6.6 in)	
Flange and Gasket Thickne	ss 16 mm (0.63 in)	
Air Volume Occupied by Driv	ver 6.3 dm ³ (0.22 ft ³)	
Net Weight	9.8 kg (21.6 lb)	
Shipping Weight	11.1 kg (24.47 lb)	
Shipping Box 425x425x224 mm (1	6.73x16.73x8.82 in)	

2 hours test made with continuous pink noise signal within the range Fs-10Fs. Power calculated on rated minumum impedance. Loudspeaker in free air.
 Power on Continuous Program is defined as 3 dB greater than the Nominal rating.
 Applied RMS Voltage is set to 2.83 V for 8 ohms Nominal Impedance.
 Thiele-Small parameters are measured after a high level 20 Hz sine wave preconditioning test.

RCK15PS1008