

# **MB10G251**

MID - BASS

### **DESCRIPTION**

The MB10G251 is designed to provide an excellent frequency response linearity with very low distortion. A strong magnetic structure guarantee dynamic and precision. M-roll surround and spider design offer great linearity and precise reproduction.



# **FEATURES**

- 2.5-inch, fibreglass former, aluminum voice coil
- 600 Watt continuous program power handling
- 98.5 dB Sensitivity
- 55 Hz 3.0kHz Frequency range
- M-roll surround and exponential cone geometry



#### **TECHNICAL SPECIFICATIONS**

<b>General specifications</b> Nominal Diameter:	10 inch / 254 mm
---	------------------

Rated Impedance: 8 ohm
Program Power (watt): 600 W
Power handling capacity: 300 W
Sensitivity: 98 dB
Frequency range: 55 - 3000 Hz

Effective piston diameter: 210 mm / 8.27 inch
Max. Excursion Before Damage: 40 mm / 1.57 inch

Minimum Impedance (ohm): 6 ohm

Voice Coil Diameter: 2.5 inch / 63 mm
Voice Coil Winding Material: Aluminium
Voice Coil Length: 18 mm / 0.71 inch

Number of layers: 2

Kind of layers: inside/outside

Top Plate Thickness: 8 mm / 0.31 inch

Cone Design: Curved
Surround Material: Polycotton
Surround Design: M-roll
Magnets: Ceramic
Spider: Single

**Thiele - small parameters** Resonance frequency (Fs): 76 Hz

DC resistance (Re) (ohm): 5.20 ohm Mechanical factor: 8.00 Qms Electrical factor: 0.35 Qes Total factor: 0.34 Qts BI factor (BI) (T x m): 14.90 T x m Effective moving mass (Mms): 33 gr Equivalent Cas air loaded (Vas): 24 liters 0.04 m2 Effettive piston area (Sd): Max. linear excursion (Xmax): 7 mm

Half-space efficency (Eff): 2.71%

Voice coil inductance @ 1kHz (Le1k):

**Mounting informations** Overall diameter: 260 mm / 10.24 inches

Bolt circle diameter: 241-246 mm / 9.49-9.69 inch

0.50 mH

Bolt hole diameter: 6 mm / 0.24 inch
Front mount baffle cut-out: 232 mm / 9.13 inch
Rear mount baffle cut-out: 232 mm / 9.13 inch
Volume occupied by the driver: 1.2 liters / 0.05 ft3

**Standard compliance** CE marking: Yes

Physical specificationsColor:Black

# DATASHEET



 Size
 Height:
 123 mm / 4.84 inches

 Diameter:
 260 mm / 10.24 inches

Weight: 5 kg / 11.02 lbs

**Shipping informations** Package Height: 180 mm / 7.09 inches

Package Width: 290 mm / 11.42 inches
Package Depth: 290 mm / 11.42 inches
Package Weight: 5.5 kg / 12.13 lbs

## **PART NUMBER**

• 11100110

MB10G251

8ohm









